3 (Sem-6/CBCS) PHY HE 1

2023

PHYSICS

(Honours Elective)

Paper: PHY-HE-6016

(Communication Electronics)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

1.	Ans	wer the following: 1×7=7
	(i)	Write the frequency range used for FM broadcast.
	(ii)	What are radio waves?
	(iii)	Geosynchronous satellites are located at a height of km.
	(iv)	Write the significance of modulating index.

- (v) Write the full form of IMEI.
- (vi) How many satellites are there in Indian GPS?
 - (vii) What is the frequency band used in GSM system?
- 2. Answer the following:

 $2 \times 4 = 8$

- (i) What is the need for data encryption?
- (ii) Why is the amplitude of the modulating signal kept less than the amplitude of the carrier wave?
- (iii) Write two advantages of geostationary satellite.
- (iv) Define noise. Write the names of any two external noise. 1+1=2
- 3. Answer any three from the following:

 $5 \times 3 = 15$

(i) Define Johnson noise. Write down the expression for maximum noise power output of a resistor and derive the expression for rms noise voltage associated with a resistor. 1+1+3=5

- (ii) Calculate the percentage power saving when the carrier and one of the sidebands are suppressed in an AM wave modulated to a depth of (a) 100 per cent and (b) 50 per cent. $2^{1}/_{2}+2^{1}/_{2}=5$
- (iii) What is frequency division multiplexing? Draw a block diagram of FDM. Define guard band. 1+3+1=5
- (iv) Illustrate briefly the need of satellite communication? Write the six orbital elements. Mention two uses of geosynchronous satellite. 2+2+1=5
- (v) What is mobile communication?

 Mention the three types of mobile communication techniques and give one example for each of the type. 1+2+2=5
- 4. Answer **any three** from the following: 10×3=30

3

(i) Define the uplink and downlink for satellite communication. Draw proper block diagram to show the uplink and downlink processes. Name the frequency bands used for satellite link.

2+6+2=10

- (ii) For an input binary sequence 010101101 draw the ASK and FSK modulated wave. Explain the working of a synchronous ASK demodulator with proper block diagram. 2+2+6=10
- (iii) Write the basic principles of PAM, PWM and PPM. Explain with circuit diagram the generation of PAM signal. 6+4=10
 - (iv) Draw a block diagram of mobile communication network. What are the major subsystems of GSM network architecture? Outline the difference between 2G and 4G network.

5+3+2=10

(v) Derive an expression for frequency modulated wave. The output signal of an FM wave is given by $s(t) = 20\cos((8\pi \times 10^6 t + 9\sin(2\pi \times 10^3 t)))$. Calculate the frequency deviation, bandwidth, and power of FM wave.

 $5+1^{1}/_{2}+1^{1}/_{2}+2=10$

- (vi) Write short notes on: 5+5=10
- Radio communication system in India (TRAI)
- (b) GSM technology