

## *List Of Figures*

Figure	Heading	Page
2.1	Geographical location of Rangia vis-à-vis its position in the map of India	16
2.2	Location of the study area (Rangia) along with the physical features	17
2.3	Approximate locations of the soil sampling sites in the study area	21
2.4	Approximate locations of the sampling sites for drinking water, surface water and rice paddy grains.	24
3.1	Variation of pH in Side A with distance and direction from the Mill (S1 to S5 NE, S6 to S10 N, S11 to S15 NW, S16 to S20 W, S21 to S25 SW directions)	61
3.2	Pattern of variation of the soil pH in Side B with respect to the minimum, the maximum and the mean values measured for all the batches of samples.	62
3.3	Variation of electrical conductivity of soil (Side A) during the batches B0 and B1 (both pre-monsoon).	66
3.4	Variation of the minimum, the maximum and the mean values of electrical conductivity of soil (Side B) for all the batches	67
3.5	Variation of the minimum, the maximum and the mean values of Bulk Density of the soil for all the batches with respect to sampling sites in different directions	71
3.6	Directional trends in average water holding capacity of the soil for Sides A and B (along N North, NW Northwest, W West and SW Southwest; points from left to right in each direction indicates increasing distance) in the pre-monsoon season.	75
3.7	Temporal trends in the minimum, the maximum and the mean values of hydraulic conductivity of the soil for Side A (first three sets from the left) and Side B.	79
3.8	Spatial trends in the minimum, the maximum and the mean values of hydraulic conductivity of the soil for Sides A (first five sets from the left) and B (along NE Northeast, N North, NW Northwest, W West, SW Southwest; S South. The points from left to right in each direction indicate increasing distance from the Mill).	79

3.9	XRD patterns of soil samples from the study area (a) Control soil (top), (b) Sample 1 (middle), (c) Sample 2 (bottom).	88
	XRD patterns of soil samples from the study area (d) Sample 3 (top), and (e) Sample 4 (bottom).	89
3.10	Directional trends in organic matter content of the soil for Side A (top, only the three pre-monsoon seasons) and side B (bottom, all the seasons) in a few directions from the Mill along with the values for the 'Control' soil samples.	95
3.11	Variation of mean values of available P with direction and distance for Side A and Side B.	103
3.12	Comparison of Ca- and Mg-contents of the Side B soil	110
3.13	Variation of mean contents of sodium and potassium with distance from the Mill along the different directions for Side A	115
3.14	Variation of mean contents of sodium and potassium with distance from the Mill along the different directions for Side B	116
3.15	Variation pattern of minimum, maximum and mean Al-content in the soil of the study area for Side A (top) and Side B (bottom) with respect to the sampling sites and sampling direction.	150
3.16	Variation pattern of mean Cd-content in the soil of the study area for Side A (S1 to S25) and Side B (S26 to S45) with respect to the sampling sites and directions.	151
3.17 (a)	Variation pattern of total Cr-content in Side A with respect to the sampling seasons and sampling sites.	152
3.17 (b)	Variation pattern of total Cr-content in Side B with respect to the sampling seasons and sampling sites	153
3.18	Variation pattern of minimum, maximum and mean Cu-content in the soil for Side A (top) and Side B (bottom) with respect to the sampling sites and sampling direction.	154
3.19	Variation pattern of minimum, maximum and mean Fe-content in the soil for Side A (top) and Side B (bottom) with respect to the sampling sites and sampling direction.	155
3.20	Variation pattern of mean Mn-content in the soil of the study area for Side A (S1 to S25) and Side B (S26 to S45) with respect to the sampling sites and directions	157

3.21	Variation pattern of mean Ni-content in the soil of the study area for Side A (S1 to S25) and Side B (S26 to S45) with respect to the sampling sites and directions.	158
3.22	Pb-content of the soil in Side A (top) and Side B (bottom) with respect to sampling sites and sampling seasons.	159
3.23	Zn-content of the soil in Side A (top) and Side B (bottom) with respect to sampling sites and sampling seasons	160
3.24	Nature of variation of pH with respect to the minimum, maximum and mean values of the seven drinking water samples from the study area as compared to that of the 'Control' sample (CW)	164
3.25	Seasonal variation of mean Electrical conductivity for the seven drinking water samples from the study area as compared to that of the 'Control' sample (CW)	165
3.26	Seasonal variation of mean Total Alkalinity for the seven drinking water samples from the study area as compared to that of the 'Control' sample (CW)	165
3.27	Variation of the minimum, the maximum and the mean values of TDS in the drinking water samples of the study area.	170
3.28	Variation of the mean values of TDS, TSS and TS in the drinking water samples of the study area.	170
3.29	Variation of the mean phenol content for the four drinking water sources with season.	173
3.30	Variation of the mean chloride content of the drinking water sources with season.	173
3.31	Variation of the mean sulphate content of the drinking water sources with season.	178
3.32	Variation of the mean fluoride, nitrate-N and phosphate contents of the drinking water sources	178
3.33	Variation of mean values of calcium, magnesium and total hardness for the drinking water sources	183
3.34	Variation of all season mean values of sodium and potassium for the drinking water sources	183
3.35	Variation of all season mean values of chromium, copper and zinc for the	192

	drinking water sources.	
3.36	Variation of all season mean values of aluminium and iron for the drinking water sources	192
3.37	Variation of all season mean values of nickel, cadmium, lead and manganese contents for the drinking water sources	193
3.38	pH ranges of the water in the eight surface water sites	197
3.39	Seasonal variation of electrical conductivities of the surface water samples for the different sites	197
3.40	The ranges of values of total alkalinity for the different surface water sites	200
3.41	The variation of the mean total dissolved solids and total solids for the different surface water sites	200
3.42	Variation of mean chloride and sulphate contents of the surface water for the different sites.	207
3.43	Variation of mean fluoride, phosphate and nitrate contents of the surface water for the different sites	207
3.44	Relative proportion of phenol and oil & grease in the surface water samples.	209
3.45	Variation of the mean values of total hardness, calcium and magnesium contents of surface water for the different sites.	213
3.46	Variation of the mean values of sodium and potassium contents of surface water for the different sites	213
3.47	Variation of the mean values of Al and Fe (top), and Mn and Zn (bottom) in the surface water of the sampling sites.	223
3.48	Variation of the mean values of Cd, Cr, Cu, Ni and Pb in the surface water of the sampling sites.	224