

## **CHAPTER X**

## **REFERENCES**

## REFERENCES

- Abdel Mageed A.B. and Oehme F.W. (1990 b). A review of the biochemical roles, toxicity and interactions of zinc, copper and iron II copper. *Vet. Hum. Toxicol.* 32 (3): 230 – 234.
- Addink N.W.H. and Frank L.J.P (1955). Zinc in relation to cancer. *Naturewissenschaften*. 42: 419 – 420.
- Addink N.W.H. and Frank L.J.P (1959). Remarks apropos of analysis of trace elements in human tissues. *Cancer*. 12: 544.
- Agarwal K.C. and Sartorelli A.C. (1975). Handbook Exp. Pharmacol. 38, 793.
- Agarwal K.C. and Sartorelli A.C., in *Progress in Medicinal Chemistry*, Ellis G.P. and West G.B., Eds., Amsterdam, New York. Oxford. Vol. 15.
- Allred L.E.; Porter K.R. (1979). Morphology of normal and transformed cells. In: Hynes RO, ed. *Surfaces of Normal and Malignant Cells*, Chichester and New York; Wiley, pp. 21 – 61.
- Ambros V.R.; Chen L.B. and Buchanon J.M. (1975). Surface ruffles as markers for studies of cell transformation by Rous sarcoma virus. *Proc. Nat. Acad. Sci. USA*. 72: 3144 – 3148.
- Anantha narayan P.H. and Ranakrishnan (1978). Serum lactate dehydrogenase isoenzymes in early malignancy. *Ind. Med. J.* 68: 459 – 465.

- Andronikashvili E.L.; Mosulishvili L.M. and Bleokobilsky V.P. (1972). Instrumental activation analysis of proteins and nucleic acids. Transactions of the International Conference, Modern Trends in Activation Analysis. C – 61, October 2 to 6, France.
- Andronikashvili E.L.; Mosulishvili L.M.; Manjgaladze V.P.; Bleokobilsky A.I.; Kharabadze N.E. and Efremova E.Y. (1970). Binding of trace amounts of some elements by malignant tumor Nucleic acids. Dokl. Akad. Nauk. SSSRR. 195: 979 – 982.
- Antholine W.E.; Knight J.M. and Petering D.H. (1976). J. Med. Chem. 19, 339.
- Ara T.; Kusafuka T.; Inoue M.; Kuroda S.; Fukuzawa M. and Okada A. (2000). Determination of imbalance between MMP – 2 and TIMP – 2 in human neuroblastoma by reverse – transcription polymerase chain reaction and its correlation with tumor progression. J. Pediatr. Surg. 35. 432.
- Arriola H.; Longoria L.; Quintero A. and Guzman D. (1999). INAA of trace elements in colorectal cancer patients. Biological trace element research, vols. 71 – 72, pp. 563 – 68.
- Ashok M.; Kal Kura S.N.; Vijayan V.; Magudapathy P. and Nair K.G.M. (2001). Int. J. PIXE 10 (1&2).
- Bailey J.M.; Clough J. and Stearman M. (1964). Clearance of plasma enzymes in normal and LDH agent infected mice. Proc. Soc. Exp. Bio. Med. 117: 350 – 354.

- Bailey J.M.; Norman T.J. (1994). Statistical methods in biology 3<sup>rd</sup> Edition.
- Balinsky D.; Green gard O.; Cayanis E. and Head J.F. (1984). Enzyme acivities and isoenzyme patterns in human lung tumors. *Cancer Res.* 44: 1058 – 1062.
- Bardawill C. and Chang C. (1963). Serum lactic dehydrogenase, leucine amino peptidase and 5' nucleotidase activities in patients with carcinoma of pancreas and hepatobiliary disease. *J. Canad. Med. Ass.* 89: 755 – 761.
- Barnard C.F.J. (1989). Platinum anticancer agents, twenty years of continuing development. *Platinum metals. Rev.* 33: 162 – 167.
- Bates S.E.; Longo D.L. (1985). Tumor markers: Value and limitations in the management of cancer patients. *Cancer Treat. Rev.* 12: 163 – 167.
- Berliner J.A.; Janssen M. and Mc Latchie C. (1978). The use of Scanning Electron Microscopy in the diagnosis of malignancy in human serous effusions *Scanning Electron Microscopy, II*: 797 – 802.
- Biradar N.S. and Havinale B.R. (1976). Inorganics Chemica. *Acta.* 17, 157.
- Bishayee A. and Chatterjee M. (1993). Selective enhancement of glutathione S – transferase activity in liver and extra-hepatic tissues of rat following oral administration of vanadate. *Acta. Physiol. Pharmacol. Bulg.* 19: 83 – 89.
- Bishayee A. and Chatterjee M. (1995). Inhibition of altered liver cell Foci and Persistent Nodule Growth by Vanadium During

- Diethylnitrosamine – Induced Hepatocarcinogenesis in rats.  
Anticancer. Res. 15: 455 – 462.
- Bloomer L.C. and Lee G.R. (1978). Normal hepatic copper metabolism In  
“Metals and the Liver” (L.W. Powell ed.) Marcel Dekker Inc. N.Y.  
and Basal. Pp. 179 – 221.
- Boffetta P. (1993). Carcinogenicity of trace elements with reference to  
evaluations made by the International Agency for Research on  
Cancer. Scand. J. Work Environ. Health. 19: 67 – 70.
- Borovansky J.; Bleehen S.S.; Hearn P.R.; Russell R.G.G. (1980).  
Distribution of  $^{65}\text{Zn}$  in mice with melanomas and in the sub  
cellular fractions of melanomas. Neoplasma. 27: 247.
- Breiter D.N.; Diasic R.B.; Neifeld J.P.; Roush M.L. and Rosenberg S.A.  
(1978). Serum copper and zinc measurements in patients with  
osteogenic sarcoma. Cancer. 42: 598 – 602.
- Burch R.E.; Hahn H.K.J. and Sulivan J.F. (1978). Other Metals and liver  
with particular reference to zinc. In “Metals and the liver” (L.W.  
Powell ed.) Marcel Dekker Inc. N.Y. and Basel. Pp. 333 – 361.
- Burgess E.A. and Sylven B. (1963) Lactic dehydrogenase activity in plasma  
and intestinal fluid during growth of mouse tumors. Cancer. Res.  
23: 714 – 718.
- Burk R.F. (1983). Biological activity of Selenium. Ann. Rev. Nutr. 3, 53 – 70.
- Burk R.F. (1986). Selenium and cancer: meaning of serum selenium levels.  
J. nutri., 116: 1584 – 1586.

- Cahn R.D.; Kaplan N.O.; Levine L. and Zwilling E. (1962). Nature and development of Lactic dehydrogenases. *Science*, 136: 962 – 969.
- Campbell C.H.; Brown R; Linder M.C. (1981). Circulating ceruloplasmin in an important source of copper for normal and malignant animal cells. *Biochem. Biophys. Acta.*, 678, 27 – 31.
- Cann S.; Van Netten J.P.; van Netten C(2000). Hypothesis iodine, selenium and the development of breast cancer. *Cancer causes cont.* 11: 121 – 127.
- Capel I.; Pinnock M.; Williams D. and Hanham I.W. (1982). The serum levels of some trace and bulk elements in cancer patients, *Oncology* 39, 38 – 41.
- Caroli S.; Coni F.; Alimonti A. et al., (1994). A pilot study on colon cancer occurrence as related to serum selenium levels. *Ann. 1<sup>st</sup> Super Sanita.* 30(2): 243 – 247.
- Carter H.W.; Tannenbaum M.; Tannenbaum S. (1978). SEM, BEI and TEM ultrastructural characteristics of normal, preneoplastic and neoplastic human transitional epithelia. *SEM/1978/II*, SEM Inc. AMF O'Hare, IL. 60666. pp. 949 – 958.
- Carvalho M.L. and Marques A.F. (2001)X-ray Spectrometry. 30, 397.
- Chaitchik S.; Shenberg C.; Nir – El Y et al. (1988). The distribution of selenium in human blood samples of the Israeli population – comparison between normal and breast cancer cases. *Biol. Trace. Elem. Res.* 15: 205 – 212.

- Chakravarty P.K. and Roychoudhury J. (1984). Serum copper in malignant neoplasia with special reference to the cervix uteri. *J. Cancer Res. Clin. Oncol.*, 108, 312 – 315.
- Chavpil M. (1976). Effect of Zn on cells and biomembranes. *Med. Clin. North Amer.* 60: 799 – 805.
- Cherkasova E V (1969). *Vop.Oncol.* 15, 81.
- Ciccarelli R.B.; Soloman M.J.; Varshavsky A.; Lipard S.J. (1985). In vivo effects of cis and trans-diamine dichloro platinum (II) on SV – 40 chromosome; differential repair, DNA protein cross linking and inhibition of replication. *Biochemistry*, 24: 7533 – 7540.
- Clark L.C. (1985). The epidemiology of selenium and cancer. *Fed Proc.* 44: 2584.
- Clark L.C.; Cantor K.P.; Allaway W.H. (1991). Selenium in forage crops and cancer mortality in U.S. countries. *Arch. Environ. Health*. 46: 37 – 42.
- Clark L.C.; Combs G.F.; Turnbull B.W.; Slate E.H.; Chalker D.K., Chow J.; Davis L.S.; Glover R.A.; GrahamG.F.; Gross E.G.; Krongrad A; Lesher J.L.; Park H.K.; Sanders B.B.; Smith C.L.; Taylor J.R. (1996). Effect of selenium supplementation for cancer prevention in patients with carcinoma of the skin. A randomized controlled trial. *JAMA* 276: 1957 – 1963.
- Clark L.C.; Graham G.F.; Crounse R.G.; Grimson R; Hulkka B.; Shy C.M.(1982). Plasma selenium and skin neoplasm: a case control study. *Abstr., 1<sup>st</sup> Ann. Sci. Meet., SEGH, Greenville.*

- Coates R.J.; Weiss N.S.; Dailing J.R.; Morris J.S.; Labbe R.F. (1988). Serum levels of selenium and retinal and subsequent risk of cancer. Am. J. Epidemiol 135: 115 – 121.
- Combs G.F. (1989). Selenium. In: Moon TE, Micozzi MS, eds. Nutrition and cancer prevention: Investigating the role of micronutrients. New York: Marcel Dekker, 389 – 420.
- Combs G.F.; Jr. Combs S.B. (1986). The role of selenium in nutrition. Academic Press. San Diego, pp. 413 – 461.
- Comstock G.W; Bush T.L. and Helzlsouer K. (1992). Serum retinol, beta-carotene, vitamin E and selenium as related to subsequent cancer of specific sites, Am. J. Epidemiol. 135, 115 – 121.
- Conato C.; Gavioli R.; Guerrini R.; Kozlowski H.; Mlynarz P.; Pasti C.; Pulidori F. and Remelli M. (2001). Copper complexes of glycyl – histidyl – lysine and two of its synthetic analogues: chemical behaviour and biological activity. Biochim. et Biophys. Acta. 1526, 199 – 210.
- Cox R.; (1984). Selenium: A good inhibitor of DNA methylase, Pro. Am. Assoc. Cancer Res. 29, 8.
- Crea T.; Guerrin V.; Ortega F and Harteman P. (1990). Zinc et systeme immunitaire, Ann. Med. Interne. 141, 447 – 451.
- Croft W.A; Nelson C.E. and Nilson T. (1979). Scanning Microscopy of exfoliated malignant and non-malignant human urothelial cells. Scand. J.Urol. Nephrol. 13: 49 – 57.
- Curtis ASG.(1973). Cell adhesion. Prog Biophys Mol. Biol.; 27: 315 – 386.

Cvitkovic E; Bachouchi M.; Armand J.P. (1991). Nasopharyngeal carcinoma: Biology,natural history and therapeutic implications. Hematol. Oncol. Clin. North Am. 5: 821 – 838.

Danielsen A. and Steinnes E.A. (1970). Study of some selected trace elements in normal and cancerous tissues by neutron activation analysis. J. Nucl. Med. 11: 260 – 264.

Das A.K. (1989). In A Text Book on Medicinal Aspects of Bio-Inorganic Chemistry (Satish Kumar Jain for CBS Publisher, Delhi) pp. 66, 67, 68, 83, 86, 123.

Davies B.J. (1964). Ann. N. Y. Acad. Sci. 121, 404.

Davies I.J.T.; Musa M. and Dormandy T.L. (1968). Measurement of plasma zinc. J. Clin. Pathol. 21:359 – 365.

De Jeorge F.B.; Goes J.S.; Guedes J.I. and De Ulhoa Cintra A.B. (1965). Biochemical studies on copper, copper oxidase, magnesium, sulfer, calcium and phosphorus in cancer of the breast. Clin. Chim. Acta. 12: 403 – 406.

De wys W.; Pories W.J.; Richter M.C. and Strain W. II (1970). Inhibition of walker 256 carcino-sarcoma growth by dietary zinc deficiency. Proc. Soc. Exp. Biol. Med. 135: 17 – 22.

Dhawan I.K.; Rao B.; Kapoor B.N.; Iyer B.M.L. and Chari P.S. (1971). A clinical, histological and histochemical study of intra arterial infusion chemotherapy in oral cancer Ind. J. Med. Res. 59: 1835 – 1837.

- Di Ilio C.; Del Boccio G.; Casaccia R.; Aceto A.; Di Giacomo F. and Federici G. (1988). Selenium level and glutathione dependent enzyme activities in normal and neoplastic human lung tissues, *Carcinogenesis* 8, 281 – 285.
- Di Ilio C.; Sacchetta P.; Del Boccio G.; La Rovere G. and Federici G. (1985). Glutathione peroxidase, glutathione S – transferase and glutathione reductase activity in normal and neoplastic human breast tissues, *Cancer Lett.* 29, 37.
- Diez M.; Arroyo M.; Cardan F.G.; Munoz M.; Martin M.A. and Balibrea L.J. (1989). Serum and tissue trace metal levels in lung cancer. *Oncology*.46 (4) : 230 – 234.
- Dobrowolski Z.; Drewniak T.; Kwiatek W. and Jakubik Piotr. (2002). Trace Elements Distribution in Renal Cell Carcinoma Depending on stage of Disease. *European Urology* 42, 475 – 480.
- Dokov V. (1985). Dynamics of the changes in lactic dehydrogenase activity in rat liver under conditions of paraneoplastic syndrome. *Med. Biol. Probl.* 13 (0): 141 – 144.
- Dorgan J.F.; Sowell A.; Swanson C.A.; Potischman N.; Miller R.; Schussler N.; Stephenson H.E. Jr.(1998). Relationships of serum carotenoids, retinol, alpha – tocopherol and selenium with breast cancer risk; results from a prospective study in Columbia, Missouri (United States). *Cancer Causes Cont.* 9: 89 – 97.
- Drodz A.M.; Tomata J. and Magner K. (1986). Copper, Zinc concentrations and superoxide dismutase activities in malignant and non-

malignant tissues of female reproductive organs. *Neoplasma*. 33: 239 – 244.

Elo H.O.; Lumme P.O, (1985). *Cancer Treat. Rep.*, 69, 1021.

Evans G.W. and Hahn C. (1974). Albumin as a possible site for copper – zinc interaction in “Trace Element Metabolism in animals – 2”, W.G. Hoekstra et al. (eds.). University Park Press, Baltimore, Butterworths, London pp. 497 – 499.

Evans G.W.; Myron D.R.; Cornatzer N.F. and Cornatzer W.E. (1970). Age dependent alterations in hepatic subcellular copper distribution and plasma ceruloplasmin, *Am. J. Physiol.* 218: 298 – 302.

Everett J.L.; Day C.L. and Bergel F. (1964). Analysis of august rat liver for calcium. Iron, magnesium, manganese, molybdenum, potassium, sodium, zinc, *J. Pharma. Pharmacol.*, 16: 85 – 90.

Faluk W.P.; Rider J.A.; swader, J.I. (1972). Lactate dehydrogenase in gastric juice diagnostic adjunct in human stomach cancer. *Lancett*. 25: 1115 – 1117.

Fassina A.S.; Calliari I.; Sangiorgio A.; Rossato M. et al. (1990). Quantitative analysis of trace elements in human clear cell carcinoma of the kidney by energy – dispersive X – ray fluorescence. *Eur. Urol*; 18(2): 140-144.

Ferrigno D.; Buccheri G.; Camilla T. and Arch Monadi (1999). *Chest Dis.* 54, 204.

- Feustal A.R.; Wennrich R.and Dittrich H. (1989b). Investigation of trace element in metastates and primary carcinoma of the prostate. Urol. Res. 17: 107 – 110.
- Feustal A.R.; Wennrich R.and Schmidt B.(1989a). Serum zinc levels in prostatic cancer. Urol. Res. 17: 41 – 42.
- Fex G.; Pettersson B.; Akesson B. (1987). Low plasma selenium as a risk factor for cancer death in middle – aged men. Nutr. Cancer, 10: 221 – 229.
- Finck S.J.; Giuliano A.E.; Morton D.L.(1983). LDH and Melanoma cancer. 51: 840 – 843.
- Fisher G.L.; Byers V.S.; Shifrine M. and Levine A.S. (1976). Copper and zinc levels in serum from human patients with sarcomas. Cancer. 37: 356 – 363.
- Folgado J.V.; Coronado R.I.E.; Beltran D.; Savariau J.M. (1988). Inorg. Chem. 27, 19.
- Friend C.; and Wroblewski F. (1956). Lactic dehydrogenase activity in serum of mice with transplantable leukemia. Science. 124: 173 – 174.
- Frong L.Y.Y.; Cheung T. and Ho Y.S. (1988). Effect of nutritional Zn-deficiency on 06 alkylguanine DNA methyl transferase activities in rat tissues cancer lett. 42: 217 – 224.
- Frust, A.(1963). Trace elements and cancer. In chemistry of chelation in cancer.Edited by Thomas,C.C., Springfield, Illinois. Pp. 14 – 26.

Fujioka M. and Liberman I. (1964). A Zn<sup>++</sup> requirement for synthesis of deoxyribonucleic acid by rat liver. J. Biol. Chem. 239: 1164 – 1167.

Gaeta J.F.; Berger J.E and Gamarra M.C. (1977). Scanning Electron Microscopic Study of prostatic cancer. Cancer Treat. Rep. 61: 227 – 253.

Gale G.R.; (1975). In antineoplastic and immunosuppressive agents, part II, Sartorelli A.C. and Johns D.G., Ed., Springer, Berlin, pp. 829 – 840.

Garcia-Tojal J.; Garcia-Orad A.; Luis Serra J.; Luis Pizarro J.; Lezama L.; Arriortua M.I. and Rojo T. (1999). Synthesis and spectroscopic properties of copper (II) complexes derived from thiophene – 2 – carbaldehyde thiosemicarbazone. Structure and biological activity of [Cu(C<sub>6</sub>H<sub>6</sub>N<sub>3</sub>S<sub>2</sub>)<sub>2</sub>]. J. Inorg. Biochem. 75, 45 – 54.

Garofalo J.A.; Ashikari H.; Lesser M.L.; Menendez-Botet C.; Cunningham-Rundles S.; Schwartz M.K. and Good R.A. (1980). Serum zinc, copper and Cu/Zn ratio in patients with benign and malignant breast lesions. Cancer. 46, 2682 – 2685.

Geraki K.; Farquharson M.J.; Bradley D.A. and Hugtenburg R.P. (2004). A synchrotron XRF study on trace elements and potassium in breast tissue. Nucl. Instr. and Meth. B 213, 564 – 568.

Ghadirian P.; Maisonneuve P.; Perret C.; Kennedy G.; Boyle P.; Krewski D. and Lacroix A. (2000). A case control study of toenail selenium

- and cancer of the breast, colon and prostate. *Cancer Detect. Prev.*, 24 (4): 305 – 313.
- Ghool A.M.; Malaviya G.N.; Kashyap A. (1980). A comparative study of LDH & P Ch E in sera of cancer patients, A preliminary report. *Ind. J. Cancer* 17: 31 – 33.
- Ghosh S.P. and Prasad K.M. (1978). *J. Inorg. Nucl. Chem.* 40, 1963.
- Giannoulaki E.; Dimitrios E.; Kalpanis L.; Constantinos T. and Phedon F. (1989). Lactate dehydrogenase isoenzyme pattern in sera of patients with malignant diseases. *Clin. Chim. Acta* 35 (3): 396 – 399.
- Giraldi T.; Sava G.; Bertoli G.; Mestroni G. and Zassionovich G. (1977). *Cancer Res.* 37, 2662.
- Goldie H., Felix M.D. (1951). Growth characteristics of free tumor cells transformed serially in the peritoneal fluid of mouse. *Cancer Res.* 11, 73 – 80.
- Goldman R.D.; Kaplan N.O. and Hall T.C. (1964). Lactic dehydrogenase in human neoplastic tissues. *Cancer Res.* 24: 389 – 399.
- Gonda M.A.; Aaronson S.A.; Ellmore N. Zeve V.H.; Nagashima K. (1976). Ultrastructural studies of surface features of human normal and tumor cells in tissue culture by scanning and Transmission Electron Microscopy. *J. Natl. Cancer Inst.*; 56: 245 – 263.
- Goodenough D.A. (1976). In vitro formation of gap junction vesicles. *J. Cell Biol.*, 68: 220 – 223.
- Goodfriend T.C. and Kaplan N.O. (1965). Isoenzymes in clinical diagnosis. *Circulation*, 32: 1010 – 1019.

- Goodman G.E.; Schaffer S.; Bankson D.D.; Hughes M.P. and Omenn G.S. and the Carotene and Retinol efficiency trial (CARET) Co-Investigators (2001). Predictors of serum selenium in cigarette smokers and the lack of association with lung and prostate cancer risk. *Cancer Epidem. Biomark. Prev.* Vol. 10, 1069 – 1076.
- Gothoskar S.V.; Ranadive K.J. (1971). Anticancer screening of SAN-AB; An extract of marking nut, *Semicarpus anacardium*. *Indian Journal of Experimental Biology* 9 (7), 372 – 375.
- Gouget B.; Sergeant C.; Benard J.; Llabador Y. and Simonoff M. (2000). N-myc oncogene amplification is correlated to trace metal concentrations in neuroblastoma cultured cells. *Nuclear Instruments and Methods in Physics Research B* 170, 432 – 442.
- Gouget B.; Sergeant C.; Benard J.; Llabador Y.; Deves G.; Vesvres M.H. and Simonoff M. (2001). Trace metals and cancer: The case of neuroblastoma. *Nucl. Instr. And Meth. B* 181, 465 – 469.
- Gozda S.; Cavdar A.D.; Arcasoy A. and Akkar N. (1982). Serum copper and zinc levels and copper/zinc ratio in pediatric non Hodgkin's lymphoma, *Hacta haematol* 67, 67 – 70.
- Gray B.N.; Marklund S.L.; Barnard R. (1982). Use of serum copper/zinc ratio in patients with large bowel cancer, *J. Surg. Oncol.* 21, 230 – 232.
- Greder G.A. and Milner J.A. (1980). Factors influencing the inhibitory effect of selenium in mice inoculated with Ehrlich ascites tumor cells, *Science* 209, 825 – 827.

- Griffith K.; Wright E.B. and Dormandy T.L. (1973). Tissue zinc in malignant disease. *Nature*, 241, 60.
- Guillard O.; Biasis-Sauvêtre M.H., Reiss D. and Gombert J. (1980). Physiologic et pathologie du zinc. *pathol. Biol.* 28, 469 – 478.
- Guo W.D.; Chow W.H.; Zheng W. et al. (1994). Diet, serum markers and breast cancer mortality in China. *Jpn J. Cancer Res.*, 85 (6): 572 – 577.
- Gupta P.D.; Kumar G.K.; Khar A. (1985). Cell to cell association in Zajdela ascitic hepatoma. An ultrastructural study. *J. Submicrosc. Cytol.* 17: 421 – 427.
- Gupta S.; Narang R.; Krishnaswami K.; Yadav S. (1994). Plasma selenium level in cancer patients. *Ind. J. Cancer*. 31: 192 – 197.
- Halliwell B. and Gutteridge M.C. (1984). Oxygen toxicity, oxygen radicals, transitional metals and disease, *Biochem. J.* 219, 1 – 14.
- Haratake J.; Horie A.; Nakashima A.; Takeda S. and Mori A. (1985). Minute hepatoma with excessive copper accumulation: Report of two cases with resection. *Arch. Pathol. Lad. Med.* 110(3): 192 – 194.
- Hardell L.; Wing A.M.; Ljungberg B.; Dreifaldt A.C. et al. (1994). Levels of cadmium, zinc and copper in renal cell carcinoma and normal kidney. *Eur. J. Cancer Prev.* 3(1): 45 – 48.
- Hariharan S; Dhawan I.K.; Sharma U.; Srivastava L.M. (1977). Serum LDH and its isoenzymes in buccal mucosa cancer. *Ind. J. Med. Res.* 65(4) : 566 – 577.

- Haung Y.L.; Sheu J.Y. and Lin T.H. (1999). Association between oxidative stress and changes of trace elements in patients with breast cancer. *Clin. Chem.* 32: 131 – 136.
- Hayashi H. and Ishimaru Y. (1981). Morphological and biochemical aspects of adhesiveness and dissociation of cancer cells. *Int. Rev. Cytol.* 70: 139 – 215.
- Heckl W. and Fogh J. (1986). Human lactic dehydrogenase as a marker for monitoring the growth of prostatic carcinoma in nude mice. *Exp. Cell. Biol.* 54(1): 34 – 39.
- Helzsouer K.J.; Comstock G.W and Morris J.S. (1989). Cancer research 49, 6144.
- Hoch – Ligeti C.; Jarsen F.J. (1976). Enzymes in peripheral and bone marrow serum in patients with cancer. *Cancer* 38: 1336 – 1343.
- Hoch Ligeti C.; Lobl L.T. and Arvin J.M. (1964). Effect of nitrosamine derivatives on enzyme concentrations in rat organs during carcinogenesis. *Brit. J. Cancer.* 18: 271 – 284.
- Hodges G.M. (1978). Normal and neoplastic urothelium of human bladder in vivo and vitro, an assessment of SEM studies. *Scanning Electron Microscopy.* II: 983 – 990.
- Horst E. Micke O.; Schafer U. and Willich N. (2000). Trace Elements and Electrolytes, Vol. 17. No. 4/2000 (202 – 205).
- Hoshino M. (1963). Submicroscopic characteristics of four strains of Yoshida ascites hepatoma of rats: a comparative study. *Cancer Res.* 27: 743 – 755.

- Howard R.A.; Spring T.G. and Bear J.L. (1976). Cancer Res. 36, 4402.
- Hrgoveic M.; Tesser C.F.; Thomas F.B.; Fuller L.M.; Gamble J.F. and Shullenberger C.C. (1973). Significance of serum copper levels in adult patients with Hodgkin's disease. Cancer, 31: 1337 – 1345.
- Hsieh K.J. (1990). Ultrastuctural study in effects of cisplatin on VX<sub>2</sub> carcinoma cells. Bull. Tokyo. Med. Dent. Univ. 37: 35 – 50.
- Hsieh K.M.; Suntzeff V. and Cowdry E.V. (1955). Serum LDH activity as indication of neoplastic growth and regression. Proc. Soc. Exptl. Bio. Med. 89: 627 – 629.
- Huhti E.; Poukkula A. and Uksila E. (1980). Serum copper levels in patients with lung cancer. Respiration 40: 112 – 116.
- Hunter D.J.; Morris J.S.; Stampfer M.J.; Golditz G.A.; Speizer F.E.; Willett W.C. (1990). A prospective study of selenium status and breast cancer risk. JAMA. 264: 1128 – 1131.
- Hynes R.O. (1979). Tumorigenicity, transformation and cell surfaces. In: Hynes R.O. (ed). "Surfaces of normal and malignant cells". Chichester and New York: Wiley, 1 – 19.
- Inutsuka S.; and Araki S.(1978). Plasma copper and zinc levels in patients with malignant tumors of digestive organs. Cancer 42: 626 – 631.
- Irato P.; Storniolo G.C.; Giaccon G.; Magro A.; D'Inca R.; Mestriner C. and Albergoni V. (1996). Effect of zinc supplementation of Metallothionein, copper and zinc concentration in various tissues

- of copper loaded rats. Biological trace element Research. Vol. 51 pp. 87 – 96.
- Isomaki A.M. (1979). A new cell type (tuft cell) in the gastrointestinal mucosa of the rat. Acta. Pathol. Microbiol. Scand. A suppt. 235: 1 – 30.
- Issaq H.J. (1980). In 'Metal Ions in Biological System' (edited by H. Sigel), Marcell Dekker, New York, 10, 56.
- Issel F.; Mac Fadyen B.V.; Gum E.T.; Valdivieso M.; Dudrick S.S. and Bodey G.P. (1981). Serum zinc levels in lung cancer patients. Cancer 47: 1845 – 1849.
- Iyengar V.; Woittiez J. (1988). Trace elements in human clinical specimens: evaluation of literature data to identify reference values. Clin. Chem.. 34: 474 – 481.
- Jacobs N.M. (1983). Selenium inhibition of 1,2 dimethylhydrazine – induced colon carcinogenesis, cancer Res. 43, 1646 – 1649.
- Jayasurya A.; Bay B.H.; Yap W.M.; Tan N.G. and Tan B.K.H. (2000). Proliferative potential in nasopharyngeal carcinoma: Correlations with metallothionein expression and tissue zinc levels. Carcinogenesis Vol. 21. No. 10, pp. 1809 – 1812.
- Jendryczko A.; Drozdz M.; Tomala J. and Magner K. (1986). Copper and zinc concentrations and superoxide dismutase activities in malignant and non-malignant tissues of female reproductive organs. Neoplasma. 33(2): 239 – 244.

- Jha I.N.; Singh H.B. and Prasad N.(1985). Serum copper/zinc ratio in oral carcinoma. Indian J. Med. Res. 81: 602 – 606.
- Jin R.; Bay B.H.; Tan P.H. and Tan B.K.H. (1999). Metallothionein expression and zinc levels in invasive ductal breast carcinoma. Oncol. Rep. 6, 871 – 875.
- Johnson N.E.; Greger J.L.; Kusserog K.; Seyedabi F. and Smith E.L. (1966). Zinc, copper and magnesium in serum of women given a calcium supplement. Brit. Med. J. 20: 149.
- Jorgensen L.G.M.; Hansen H.H. and Cooper E.H. (1989). Neuron specific enolase, carcinoembryonic antigen and lactate dehydrogenase as indicators of disease activity in small cell lung carcinoma. Eur. J. Cancer. Clin. Oncol. 25 (1): 123 – 128.
- Kahnke M.J. (1966). Atomic Absorption Spectrophotometry Applied to the determination of zinc in formalized human tissue. At. Absorp. Newsl. 5:7.
- Kaplan N.O. and Ciotti M.M. (1961). Heterogeneity of the lactic dehydrogenases of new born adult rat heart as determined with co-enzyme analogs. Biochim. et. Biophys. Acta. 49: 425 – 427.
- Karchioglu Z.A.; Sarper R.M.; Van Rinsvelt H.A.; Guffey J.A. and Fink R.W. (1978). Trace element concentrations in renal cell carcinoma. Cancer. 42: 1330 – 1340.

- Kawakatsu H. and Mastuko M. (1963). Histochemical evaluation of enzymatic activity in human squamous cell cancer. *Cancer Res.* 23: 539 – 543.
- Kenemans P.V.D.; Davina J.H.M.; De Haan R.W.; Van der Zanden P.; Voogs, G.P.; Stolk J.G. and Stadhouders A.M. (1981). Cell surface morphology in epithelial malignancy and its precursor lesions. *Scanning Electron Microscopy. III.* 23 – 36.
- Kenemans P.V.D; Zanden P.H.T.; Stolk J.G.; Voogs G.P. and Stadhouders A.M. (1980). Cell surface ultrastructure in neoplasia of the uterine cervix. In *Biology of the cancer cell*. Edited by Letnansky K., Kugler Publications, Amsterdam, Netherlands. Pp. 307 – 315.
- King (1965). In “*Practical clinical Biochemistry* (Harold Varley, CBS Publishers Delhi 1988) pp. 279 – 284.
- Kitaura K.; Chone Y.; Satake N.; Akagi A.; Ohnishi T.; Suzuki Y. and Izumi K.(1999). Role of copper accumulation in spontaneous renal carcinogenesis in long – Evans Cinnamon Rats. *Jpn. J. Cancer Res.* 90. 385 – 92.
- Klein G. (1951). Comparative studies of mouse tumors with respect to their capacity for growth as ‘ascitic tumors’ and then average nucleic acid content. *Exp. Cell Res.*, 2: 518 – 523.
- Klein G. (1951). Comparative studies of mouse tumors with respect to their capacity for growth as ascitic tumors and their average nucleic acid content. *Exp. Cell. Res.* 2. 518 – 523.

- Kline S.E. and Clayton C.C. (1964). Lactic dehydrogenase isoenzymes during development of azodye tumors. Proc. Soc. Exp. Biol. Med. 117: 891 – 894.
- Kmet J. and Mahboubi E. (1972). Oesophageal cancer in the caspian littoral of Iran, Initial Studies. Science. 175: 846 – 848.
- Knekt P.; Aromaa A.; Mantela J. (1988). Serum vitamin E. serum selenium and the risk of gastrointestinal cancer Int. J. Cancer 42: 846 – 850.
- Knekt P.; Aromaa A.; Mantela J. (1990). Serum selenium and subsequent risk of cancer among Finnish men and woman. J. Natl. Cancer Inst 82: 864 – 868.
- Koch H.; and Smith E. (1956). J. Clin. Endocrinol. Metab., 16. 123.
- Koch J.H.; Jr. Smith E.R. and Mc Neely J. (1957). Analysis of trace elements in human tissue II the lymphomatous disease. Cancer, 19: 151 – 160.
- Kok F.J.; de Brujin A.M.; Hofman A.; Vermeeren R. and Valkenburg H.A. (1987). Am. J. Epidemiol. 125, 12.
- Kopanski Z.; Pelc A.; Kwiatkowska D.; Schlegel – Zawadzka M.; Piekoszewski W.; Lipko – Godlewska S. and Puto T. (2003). Profile analysis of magnesium and zinc concentrations in blood serum in patients with skin cancers. Trace Elements and Electrolytes. Vol. 20 – No. 1(29 – 33).

- Koslowski J.; Litwin J. and Sitniewski S.A (1967). Histochemical study of granulocyte zinc content in cutaneous neoplasia and its reactions to internal malignancy. *Acta.Derm. Venerol.* 1: 269.
- Koss L.G. and Domagala W. (1980). Configuration of surfaces of human cancer cells in effusions. A review. *Scanning Electron Microsc.* III. 89 – 100.
- Krsnjavi H. and Beker D. (1990) selenium in serum as possible parameter of assessment of breast disease, *Breast Cancer Res. Tr.* 16, 57 – 61.
- Kubala-Kukas A.; Braziewicz J.; Banas D.; Majewska U.; Gozdz S. and Urbaniak A. (1999). Trace element load in cancer and normal lung tissue. *Nucl. Instr. and Meth. B.* 150. 193.
- Kukuchi; Yoshihiro; Hisano A.; Kuki E.; Hirata J. and Nagata I. (1991). Total lactate dehydrogenase and its isoenzymes in serum from patients with primary carcinoma of the ovary. *Gyneocol. Obstet. Invest.* 31: 161 – 165.
- Kumar A.; Singh S.M. (1995). Effect of Dalton's lymphoma on the antigen presentation of murine peritoneal macrophages. *Cancer Res.* 92: 151 – 157.
- Kumar A.; Singh S.M.; Parajuli P. (1994). Modulator effect of Dalton's lymphoma cells on the production of relative nitrogen intermediates, interleukin-I and tumor nacrosis factor by murine peritoneal macrophages. *Neoplasma*, 41: 363 – 368.

- Kumar L.; Kandaswamy N.R.; Srivastava T.S.; Amonkar A.J.; Adwankar M.K. and Chitnis M.P. (1985). Synthesis and spectroscopic studies of potential anticancer [platinum (II) (2, 2' - bipyridine) (amino acid)]<sup>n</sup> (n = 1 or 2) complexes. *J. Inorg. Biochem.* 23, 1.
- Kuroda I.; Nakazaur C. Mori K. and Yoshida M. (1985). Biochemical properties of lactate dehydrogenase I(B<sub>4</sub>), significantly elevated in serum of a patient with testicular carcinoma. *Phys. Chem. Biol.* 29 (6): 397 – 402.
- Kvicala J.; Havelka J.; Nemee J. and Zeman V. (1992). *Biol. Trace Elem. Res.*, 32, 253.
- Kwiatek W.M.; Drewniak T.; Lekka M. and Wajdowicz A. (1996). Investigation of trace elements in cancer kidney tissues by SRIXE and PIXE. *Nucl. Instr. and Meth. B* 109 – 110, 284.
- Lal M.; Choudhury R.K.; Nayak B.K.; Bamane V.S.; Trivedi P.N. and Ranade S.S. (1989). Trace element profiles in esophageal neoplasms determined by proton – Induced X-ray emission. *The Science of the total Environment.* 78: 167 – 172.
- Le Boeuf R.A. and Hoekstra W.G.; (1986). Changes in cellular glutathione levels possible relation to selenium mediate anticarcinogenesis. *Federation Proc.* 44, 2563 – 2566.
- Legrand M. and Pariente R. (1975). Application de la microscopic electronique au diagnostic des tumors de la plevre (II). *La Nouvelle presse Medicale.* 4: 2191 – 2192.

- Levander O.A. (1987). A global view of human selenium nutrition. Annual review of nutrition, 7: 227 – 250.
- Levinson W.E (1980). Antibiot. Chemother, 27, 288.
- Liaw C.C.; Wang C.H.; Huang J.S; Kiu M.C.; Chen J.S.; and Chang H.K. (1997). SerumLactate dehydrogenase Level in Patients with Nasopharyngeal Carcinoma. Acta. Oncol. Vol. 36. No. 2, pp. 159 – 164.
- Linder M.C. (1977). Iron and copper metabolism in cancer as exemplified by changes in ferrin and ceruloplasmin in rats with transplantable tumors. Adv. Exp. Med. Biol. 92, 643 – 664.
- Lintvedt R.L.; Rupp K.A. and Hegg M.J. (1978). Inorg. Chem. 27, 331.
- Lipsky M.M.; Hinton D.E.; Goldblatt P.G. et al. (1979). Iron negative foci and nodules in safrol exposed mouse liver made siderotic by iron dextran injection. Pathol. Res. Pract. 164: 178 – 185.
- Loehrer P.J.; Einhorn L.H. (1984). Cisplatin. Ann. Intern. Med. 100: 704 – 713.
- Loewenstein W.R. (1975). Permeable junctions: Cold Spring Harbor Symp. Quant. Biol. 40: 49 – 63.
- Lumme P.; Elo H. and Janne J. (1984). Chim. Acta, 92, 241.
- Magalova T.; Bella V.; Brtkova A.; Beno I.; Kudlackova M. and Volovova K. (1999). Neoplasma 46, 100.
- Maity C.K. and Burma D.P. (1973). Phosphohexose isomerase and lactic dehydrogenase levels in serum. Ind. J. Cancer. 10: 356 – 360.

- Majumdar U.K.; Gupta M.; Maiti S. et al. (1997). Antitumor activity of *hygrophila spinosa* on Ehrlich ascites carcinoma and sarcoma-180 induced mice. Indian Journal of Exp. Biol. 35 (5), 473 – 477.
- Malhotra P.; Siddhu L.S.; Singh S.P. (1986). Serum lactate dehydrogenase level in various malignancies. Neoplasma, 33: 641 – 647.
- Mannisto S.; Alftan G.; Virtanen M.; Kataja V.; Uusitupa M.; Pietinen P. (2000). Toenail selenium and breast cancer – a case-control study in Finland. Eur. J. Clin. Nutr. 54: 98 – 103.
- Margalioth E.J.; Schenker J.G. and Chevion M. (1983). Copper and zinc levels of normal and malignant tissues. Cancer, 52, 868.
- Margalioth E.J.; Udassin R.; Maor J. and Schenker J.G. (1986).. Cancer 56. 856.
- Markert C.L. (1963). Lactate dehydrogenase isoenzyme dissociation and recombination subunits. Scince. 140: 1329 – 1330.
- Martin-Lagos F.; Navarro-Alarcon M.; Terres-Martos C. Lopez-G de la Serrana S. and Lopez-Martinez M.C. (1997). Sci. Total Environ. 204, 27.
- Mc. Beth R.A.L. and Bekessi J.G.(1962). Oxygen consumption and anaerobic glycolysis of human malignant and normal tissue. Cancer res. 22: 244 – 248.
- Mc. Connell K.P.; Jager R.M.; Bland K.I. et al. (1980). The relationship of dietary selenium and breast cancer. J. Surg. Oncol. 15:67 – 70.
- Mc. Quitty J.T.; De Wys W.D.; Monaco L.; Strain W.H.; Rob G.G.; Apgar J.; Pories W.J. (1970). Cancer. Res. 30. 1387.

- Medina D.; Oborn C. (1981). Differential effects of selenium on the growth of mouse mammary cells in vitro. *Cancer Lett.* 13. 333 – 344.
- Meischen S.J.; Gale G.R.; Lake L.M.; Frangakis C.J.; Rosenblum M.G.; Waker E.M.; Jr. Atkins L.M. and Smith A.B. (1976). *J. Nat. Cancer Inst.*, 57, 841.
- Menkes M.S. (1986). Serum β-carotene, vitamin A and E. Se and the risk of lung cancer. *N. Engl. J. Med.* 315: 1250 – 1254.
- Messey W. (1971). Lactate dehydrogenase isoenzymes alterations in malignant disease of the liver. *Am. J. Surg.* 122: 209 – 211.
- Meyer F.; Verreault R.(1987). Erythrocyte selenium and breast cancer risk. *Am. J. Epidemiol.*; 125: 917 – 919.
- Miatto O.; Casaril M.; Gabriell G.B.; Nicoli N.; Bellisola G. and Corrocher R. (1985). *Cancer* 55. 774.
- Micheau C.; Boussen H; klijanienko J. et al. (1987). Bone marrow biopsies in patients with undifferentiated carcinoma of the nasopharyngeal type. *Cancer* ; 60: 2459 – 2464.
- Mickey D.D.; Stone K.R.; Stone M.P. et al. (1977). Morphologic and immunologic studies of human prostate carcinoma. *Cancer Treat. Rep.* 61: 133 – 138.
- Mills B.J.; Lindeman R.D. and Lang C.A. (1986). Magnesium deficiency inhibits biosynthesis of blood glutathione and tumor growth in the rat (42260). *Proc. Soc. Exptl. Biol. Med.* 181: 326 – 332.
- Milner J.A. (1985). Effect of selenium on virally induced and transplantable tumor models. *Federation Proc.* 44, 2568 – 2571.

- Milner J.A.; and Hsu C.Y.(1981). Inhibitory effects of selenium in the growth of L1 210 leukemia cells, *Cancer Res.* 41, 1652 – 1656.
- Miyakawa K. (1990). Trace elements (copper, zinc and magnesium) in children with leukemia and lymphoma. *J. Tokyo Medical college.* 48(6):747 – 759.
- Marklund S.R.; Westman N.G.; Lundgreen E. and Ross G. (1982). Copper and zinc containing superoxidizedismutase, catalase and glutathione peroxidase in normal and neoplastic human cell lines and normal human tissue, *Cancer Res.* 42, 1955 – 1961.
- Mucke R.; Micke O. and Schonekaes K.G. (2000). Serum selenium levels, glutathione peroxidase activities and serum redox potential levels in patients with untreated non-small cell lung cancer and adenocarcinoma of the rectum. *Trace Elements and Electrolytes.* Vol. 17, No. 3 119 – 123.
- Mulay I.L.: Roy R.; Konx B.E.; Suhr N.H. and Delaney W.E (1971). Trace metal analysis of cancerous and non-cancerous human tissues. *J. Natl. Cancer. Inst.* 47: 1 – 13.
- Muller W.; Iffland R. and Firsching R.(1988). Atomic absorption spectrometry studies on metals in primary brain tumors. *Trace Elements in Medicine.* 5: 109 – 113.
- Nakamura T. and Kitagawa T. (1985). Anti cancer drug screening test with LDH in nude mice bearing bone and soft part sarcoma. *Cancer* 56(5): 1112 – 1116.

- Nelson C.E.; Croft W.A.; Nilsson T. (1979). Surface characteristics of malignant human urinary epithelium studied with scanning electron microscopy. *Scand. J. Urol. Nephrol.* 13: 31 – 42.
- Neporandy D.D. (1963). Zinc content variation dynamics in rat organs and tissues in the process of sarcoma M – I growth. Proc. of the Fourth All Union Conference on Application of Tracers in Agriculture and Medicine, Kiev, pp. 629 – 632.
- Newberne P.M.; Charley G.; Adams K.; Cantor M.; Roth D. and Supharkan V. (1986). Gastric and oesophageal carcinogenesis. *Food chem. Toxicol.* 24: 1111 – 1119.
- Nonomura A.; Naoko K.; Mizukami Y; Nakamura Y and Matsubara F. (1992). Duct acinar cell tumor of the pancreas. Ultra structure pathol. 16: 317-329.
- Nopanitaya W.; Grisham J.W and Lesesne H.R. (1977). A preliminary assessment of the use of scanning electron microscopy for diagnostic evaluation of liver biopsies. *Scanning Electron Microscopy.* II: 159 – 170.
- O'Rourke J.F.; Patton H. and Bradley R. (1957). A study of the uptake of  $P^{32}$ ,  $Zn^{65}$  and  $I^{131}$  serum albumin by experimental malignant melanoma Am. J. Ophthal. 44: 190.
- Oliver J.A.; Elhilali M.M.; Balitsky P. and Mackinnon K.J. (1970). LDH isoenzymes in benign and malignant prostate tissue. The LDH V/I ratio as an index of malignancy cancer. 25: 863 – 866.

Olson K.B.; Heggen G.; Edwards C.F. and Gorham L.W. (1954). Trace element content of cancerous and non cancerous human liver tissue. *Science*. 119: 772 – 773.

Orlova N; Akesenova V.A.; bogdanova N.S. and Perskin G.N. (1968). *Russ. Pharm. Toxicol.(Engl.transl.)* 348.

Othman I. and Spyrow N.M. (1980). Measurement and statistical analysis of elemental concentrations in normal and abnormal breast tissue. In: P. Bratter and P. Schramei(eds.). *Trace Element Analytical Chemistry in Medicine and Biology*, pp. 199 – 214. New York: Walter de Gruyter, Co. 1980.

Owen C.A. Jr. (1964). Distribution of copper in the rat. *Am. J. Physiol.* 207: 446 – 449.

Papageorgiou V.P. and Christianopoulou M.M. (1986). *Inorg. Chim. Acta.*, 124, 203.

Parajuli P.; Singh S.M. (1997). Ascitic growth of a T-Cell lymphoma in mice alters the humoral and cellular immune response to exogenous antigens. *Tumor Biol.* 18: 104 – 112.

Parker E.D.R. and Sharma R.P. (1978). Accumulation and depletion of vanadium in selected tissues of rats treated with vanadyl sulfate and sodium orthovanadate *J. Environ Pathol.Toxicol* 2: 235 – 245.

Patil B.G.; Havinale B.R.; Shallom J.M. and Chitnis M.P. (1989). Synthesis and spectroscopic studies of potential anti-tumor copper (II)

complexes with 5 – Phenylazo – 3 – Methoxy Salicylidene Thiosemicarbazone and N<sup>4</sup> Substituted Thiosemicarbazones. Journal of Inorganic Biochemistry 36, 107 – 113.

Pawlowiez Z.; Zachara B.A.; Trafikowska U. and Nowicki A. (1993). Low level of selenium and activity of glutathione peroxidase in blood of patients with gastro-intestinal neoplasma. Pol. Tyg ek 48: 554 – 556.

Pawlowiez Z.; Zachara B.A.; Trafikowska U.; Maciąg A.; Marchaluk E. and Nowicki A. (1991). Blood selenium concentrations and glutathione peroxidase activities in patients with breast cancer and with advanced gastrointestinal cancer. J. Trace Elem. Electrolytes Health Dis. 5: 272 – 277.

Petering D. H. & Minkel D.T. (1978). Cancer Res. 38, 117 – 123.

Petering D. H. (1980). in "Metal ions in biological system" edited by H. Sigel, Marcel Dekker, New York, 11, 197.

Petering D. H. and Petering H. G. (1974). in Antineoplastic and immunosuppressive agents, Part II, Sartorelli A.C. and Johns D.G.; Eds., Springer, Berlin, Vol. 145, p. 1278.

Petering D. H. and Petering H. G. (1975). Hand Book Exp. Pharmacol. 38. 841.

Petering H. G. Buskirk H.H. and Crim J.A. (1967). The effect of dietary mineral supplements of the rat on the anti-tumor activity of 3 – Ethoxy – 2 – Oxoaldehyde Bis (thiosemicarbazone). Cancer. Res. 27: 1115 – 1121.

Petering H. G.; Buskirk H.H. and Underwood G.E. (1964). Cancer Res. 28, 367.

Philipov Ph. and Tzatchev K. (1990). Selenium in the treatment of patients with brain tumor, Zent. bl. Neurochir. 51, 145 – 146.

Piccinini L.; Borella P.; Bargellihi A.; Medici C.I. and Zoboli A. (1996). A case control study on selenium, zinc and copper in plasma and Hair of subjects affected by breast and lung cancer. Biol. Trace Element. Res. Vol. 51, 23 – 30.

Pickart L. and Thaler M.J. (1980). Cell Physiol., 102, 129.

Polivkova J.; Navratil L. and Pospisil J. (1988). Experimental reliability varification of some biochemical diagnostic methods in the course of tumor growth: Lactate dehydrogenase and non-specific esterase activity changes in blood serum of rats. S. B. LEK.90 (819): 244 - 251.

Poo J.L.; Romero R.R.; Robles J.A.; Montemayor A.C.; Isoard F.; Estanes A and Uribe M (1997). Arch. Med. Res. 28, 259.

Porter K.R.; Todaro G.J.; Fonte V.J. (1973). A scanning electron microscope study of surface features of viral and spontaneously transformants of mouse Balb / C 3T3 Cells. J. Cell Biol., 59: 633 – 642.

Poswillo D. L. and Cohen B. (1971). Nature 231, 448.

Prasad A.S.; Kaplan J.; Beck F.W.J.; Penny H.S.; Sharma F.H.; Salwen W.A.; Marks S.C. and Mathog R.H. (1997). Trace elements in

- head and neck cancer patients: Zinc status and immunologic functions. *Otolaryngol Head Neck Surg.* 116: 624 – 629.
- Prasad S.B. and Arjun J. (1991). Cell – Cell association in ascites Dalton's lymphoma and the effect cisplatin *in vivo*. *Anti cancer drug*, 2. pp. 57 – 62.
- Priare V.; Sodhi A.; Singh S.M. (1995). Effect of ageing on the tumoricidal functions of murine peritoneal macrophages. *Nat. Immun.* 15: 285 – 294.
- Price D.A.; Morley A.R. and Hall R.R. (1980). Scanning elecetron microscopy in the study of normal, inflamed and neoplastic human urothelium *Br. J. Urol.*.
- Puthraya K.H.; Srivastava T.S.; Amonkar A.J.; adwankar M.K. and Chitnis M.P. (1985). *J. Inorg. Biochem.* 25, 207.
- Puthraya K.H.; Srivastava T.S.; Amonkar A.J.; adwankar M.K. and Chitnis M.P. (1986). *J. Inorg. Biochem.* 26, 45.
- Raghuramulu N.; Nair K.M. and Kalyanasundaram S. (1983). *A manual of Laboratory Techniques*. National Institute of Nutrition, Hyderabad. pp. 281.
- Ranade S.S.; Pandey V.K. (1984). Transition metals in human cancer II. *Sci. Total. Environ.* 40: 245 – 257.
- Ranade S.S.; Trivedi P.N. and Bamane V.S. (1989). Lung cancer: tissue characterization by magnetic resonance imaging  $T_1$  and  $T_2$  values *in vitro* and role of histopathology. *Br. J. Radiol.* 62: 1111 – 1112.

Rao Y.N.; Singh G.P.; Chakravorty M.; Khanna N.N. (1978). Serum lactic dehydrogenase, leucine amino-peptidase and alkaline-phosphatase in the diagnosis of cancer. *Ind. J. cancer.* 15: 39 – 44.

Ravel R. (1995). Cardiac disease. In: Clinical laboratory medicine: Clinical application of laboratory data 6<sup>th</sup> ed. St. Louis: Mosby Year Book, 331 – 342.

Reddy S.B.; Charles M.J.; Kumar M.R.; Reddy B.S.; Anjaneyulu Ch.; Raju G.J.N. Sundareswar B. and Vijayan V. (2002). Trace elemental analysis of adenoma and carcinoma thyroid by PIXEL method. *Nucl. Instr. and Meth. in Phys. Res. B.* 196. 333 - 339.

Reddy S.B.; Charles M.J.; Naga Raju G.J.; Vijayan V.; Reddy B.S.; Kumar M.R. and Sundareswar B. (2003). Trace elemental analysis of carcinoma kidney and stomach by PIXEL method. *Nuclear Instruments and Methods in Physics Research B* 207 (345 – 355).

Ribereau-Gayon G.; Jung M.L.; Baudino S.; Salle G.; Beck J.P. (1986). Effects of mistletoe(*Viscum album L.*) extracts on cultured tumor cells. *Experientia;* 42: 594 – 599.

Ricera B.M.; Giusepre T.I.; Donofrio C.R.; Mancini R.; Miggiano G.; Sergio G.; Merng G. and Burno B. (1986). Serum lactate dehydrogenase isoenzyme pattern in acute transformation of chronic granulolytic leukemia. *Hematologica* 71 (1): 20 – 24.

Richards A. H. and Russel H. (1972). Effect of estrogen administration of glucose – 6 – phosphate dehydrogenase and lactate

- dehydrogenase isoenzymes in rodent mammary tumors and normal mammary gland. *Cancer Res.* 32: 611 – 616.
- Riley V. and Wroblewski F. (1960). Serial LDH activity in plasma of mice with growing or regressing tumors. *Science*. 132: 151 – 152.
- Ringstad J.; Jacobsen B.K.; Treth S. and Thomassen Y. (1988). Serum selenium concentration associated with risk of cancer *J. Clin. Pathol.* 41: 454 – 457.
- Rizk S.L. and Sky-Peck H.H. (1983). Comparison between concentrations of trace elements in normal and malignant tissues. *Cancer*, 52, 868 – 872.
- Rizk S.L. and Sky-Peck H.H. (1984). Comparison between concentration of trace elements in normal and neoplastic human breast tissue. *Cancer Res.* 44: 5390 5394.
- Roguljic A.; Roth A.; Kolarie K. and Maricic Z. (1980). Iron, copper and zinc liver tissue levels in patients with malignant lymphomas cancer, 46: 565 – 569.
- Romero Saravia O.;Solen E.; Lorenz M. (1988). High resolution of human lactate dehydrogenase. New multiple forms and potential tumor markers. *Electrophoresis*. 9: 816 – 819.
- Rosenberg B. (1985). Fundamental studies with cisplatin. *Cancer*. 55: 2303 – 2316.
- Rosof B. and Spencer H (1965). Tissue distribution of zinc<sup>65</sup> in tumor tissue and normal tissue in man, *Nature* 207, 652 – 656.

Rubin H. (1972). Inhibition of DNA synthesis in animal cells by ethylene diamine tetra-acetate and its reversal by zinc. Proc. Natl. Acad. Sci. U.S.A.69: 712 – 716.

Sadler P.J.; Nasr M.; Narayanan V.L. (1984). Dev. Oncol. 17, 290  
Salkie M.L.; Honore L.H. and Jajczay F.L. (1980). Copper and zinc content  
in human leiomyomas. Gynecol. Obstet. Invest. 21(4): 208 – 212.

Salonen J.T.; Alfthan G.; Huttunen J.K. and Puska P. (1984). Association  
between serum selenium and the risk of cancer. Am. J.  
Epidemiol.120, 342 – 349.

Salonen J.T.; Salonen R.; Lappetelainen R.; Maenpaa P.H.; Alfthan G. and  
Puska P. (1985). Risk of cancer in relation to serum  
concentrations of selenium and vitamins A and E. BMJ 290: 417 –  
420.

Santoliquido P.M.; Southwick H.W. and Olwin J.H. (1976). Trace metal  
levels in cancer of the breast. Surg. Gynecol. Obstet. 142:65 –  
70.

Sardar S. and Chatterjee M. (1993). Vanadium: a possible role in the  
protection of host cells bearing transplantable murine lymphoma.  
Tumor Res. 28: 51- 61.

Sardar S.; Ghosh R.; Mondal A. and Chatterjee M. (1993). Protective role of  
vanadium in the survival of hosts during the growth of a  
transplantable murine lymphoma and its profound effects on the  
rate and patterns of biotransformation. Neoplasma 40: 27 – 30.

Saryan L.A.; Ankel E.; Krishnamurti C.; and Petering D.H. (1979). J. Med. Chem. 22, 1218 – 1221.

Saryan L.A.; Mailer K.; Krishnamurti C.; Antholine W.E. and Petering D.H. (1981). Biochem. Pharmacol. 30, 1595.

Schicha H.; Muller W.; Kasperek K. and Schroder R. (1972). The occurrence of trace elements in cerebral tumors. Neuropat. Pol. X: 2.

Schillaci M.; Martin S.E. and Milner J.A. (1982). The effects of dietary selenium on the biotransformation of 7, 12 – di – methylbenz ( $\alpha$ ) anthracene, Mutat. Res. 101, 31 – 37.

Schrauzer G.N. (1976). Selenium and cancer: a review Bioorg. Chem.. 5, 275 – 281.

Schrauzer G.N. et al. (1996). Bioinorg. Chem. 12, 23.

Schrauzer G.N.; Molenaar T. and Mead S et al. (1985). Selenium in the blood of Japanese and American women with and without breast cancer and fibrocystic disease. Jpn. J. Cancer Res. 76: 374 – 377.

Schrauzer G.N.; White D.A.; Schneider C.J. (1977). Cancer mortality correlation studies: III. Statistical associations with dietary selenium intakes. Bioorg. Chem. 7: 23 – 34.

Schuman B.M.; Rittu K.; Watson J.H.L. and Goodwin J. (1978). SEM of the surface of the human duodenum in patients with and without duodenal ulcer disease. Henry Ford Hosp. Med. Jour. 26: 50 – 54.

- Schwartz A.E.; Leddlecotte G.W; Fink R.W. and Friedman E.W. (1974).  
Trace elements in normal and malignant human breast tissue.  
*Surgery*. 76: 325 – 329.
- Schwartz M.K. (1975). Role of trace elements in cancer. *Cancer. Res.* 35:  
3481 – 3485.
- Schwartz M.K. (1991). Lactate dehydrogenase: An old enzyme reborn as a  
cancer marker. *Am. J. Clin. Path*; 96: 441 – 443.
- Schwartz M.K. (1992). Enzymes as prognostic markers and therapeutic  
indicators in patients with cancer. *Clinica Chimica Acta*; 206: 77 –  
82.
- Scovill J.P.; Klayman D.L.; Tranchino C.F. (1982). *J. Med. Chem.* 25, 1261  
– 1264.
- Shamberger R.J. (1970). Relationship of selenium to cancer. I. Inhibitory  
effect of selenium on carcinogenesis. *J. Natn. Cancer Inst.* 44:  
931 – 936.
- Shamberger R.J.; Rukovenko E. and Gongfield A.K. (1973). Antioxidant and  
cancer. I: Selenium in the blood of normal and cancer patients. *J.*  
*Natl. Cancer Inst.* 50, 863 – 870.
- Shamberger R.J.; Tytko S.A.; Willis C.E. (1976). Antioxidants and cancer:  
IV. Selenium and age adjusted human cancer mortality. *Arch.*  
*Environ. Health*. 31: 231 – 235.
- Shapot V.S. (1980). Biochemical aspects of tumor growth MIR Publishers,  
Moscow.

- Sharma D.K.; Goswami M. and Borra E. (1991). Combined effect of cisplatin with vitamin C & E in the oesophageal region of rat pre-exposed to known carcinogen. In oral oncology. Vol. II. Edited by Varma, A.K.; Mac Millan (I) Ltd, pp. 315 – 318.
- Sharma K.; Mittal D.K.; Kesarwani R.C.; Kamboj V.P.; Choudhury (1994). Diagnostic and prognostic significance of serum and tissue trace elements in breast malignancy. Ind. J. Med. Sci. 48: 227 – 232.
- Shimamura Y.O. and Igakkai Z.(1990). Study on the isoenzymes of LDH in brain tumors, Tumori. 102: 973 – 988.
- Shu-You Y.; Ya Jun Z.; Wen-Guang Li; Oui-Sheng H.; Zhi-Huang Ch Q.; Nan Zh Chong II (1991). A preliminary report on the intervention trials of primary liver cancer in high-risk populations with nutritional supplementation of selenium in China. Biol. Trace Elem. Res. 29: 289 – 294.
- Siegers C.P.; Bose-Younes H.; Thies E.; Hoppenkaps R. and Younes M. (1984). Glutathione and GSH – dependent enzymes in the tumorus and non tumorus mucosa of the human colon and rectum. J. Cancer Res. Clin. Oncol. 107, 238 – 240.
- Singh B.L. and Agarwala V. (1969). Inorg.Chem. 8, 2941.
- Singh S.K.; Hasan S.A.; Sharma S.C.;Chandra K. and Ali R. (1993). Serum lactate dehydrogenase in head and neck malignancy patients. Indian J. Physiol. Pharmacol. 37: 39 – 94.

- Songchitsomboon S.; Komindr S.; Komindr A; Kulapongse S.; Puchaiwatananon O. and Udomsupayakul U. (1999). J. Med. Assoc. Thai 82. 701.
- Spriggs A.I.; and Boddington M. M. (1968). The cytology Effusion. Grune and Stratton Inc., New York, Chapter I.
- Squire, R.A. and Levitt M.H. (1975). Report of a workshop on classification of specific hepatocellular lesions in rats. Cancer. Res. 35: 3214 – 3223.
- Suzuki I. (1962). Bull. Chem.Soc. 35, 1286, 1449.
- Tanaka M.; Mataugi E.; Miyasaki K.; Yamagata T.; Inoue M.; Ogata H. and Shimoura S. (1987). PIXE measurement applied to trace elemental analysis of human tissues. Nucl. Instr. and Meth. B 22. 152.
- Tannenbaum M.; Tannenbaum S. and Carter H.W. (1978). SEM, BEI and TEM ultrastructural characteristics of normal, preneoplastic and neoplastic human transitional epithelia. Scanning Electron Microsc. II: 949 – 958.
- Tapper U.A.S.; Malmqvist K.G.; Brun A. and Salford L.G. (1987). Nucl. Instr. and Meth B 22, 176.
- Taylor R., Duncan W.; Horn D.B.(1986). Lactate dehydrogenase as a marker for testicular germ – cell tumors. Eur. J. Cancer Clin. Oncol., 22: 647 – 653.

- Thompson H.J. and Becci P.J. (1980). Selenium inhibition of N- methyl – N – nitrosourea – induced mammary carcinogenesis in the rat. J. Natl. Cancer. Inst. 65: 1299 – 1301.
- Toke G.B.; Dhamne B.K. (1990). A study of serum copper, serum zinc and Cu/Zn ratio as diagnostic and prognostic index in cases of head and neck cancer. Indian J. Pathol. Microbiol. 33: 171 – 174.
- Torun M.; Aldemir H.; Yardim S. (1995). Serum selenium levels in various cancer types. Trace Elem. Electrolytes. 12: 186 – 190.
- Trump B.F.; Heatfield B.M.; Phelps P.C.; Sanefuji H. and Shamsuddin A.K. (1980). Cell surface changes in preneoplastic and neoplastic epithelium. Scanning Electron Microsc. III: 43 – 60.
- Turan B.; Delibasi E. (1992). The serum selenium and immunoglobulin levels in healthy and cancer cases. J. Biochem. 17: 29 – 36.
- Uda M.; Maeda K.; Sasa Y.; Kusuyama H. and Yokode Y (1987). An attempt to diagnose cancer by PIXE. Nucl. Instr. and Meth. B 22, 184.
- Van den Brandt P.A.; Goldbohn R.A.; van't Veer P. et al. (1993). A prospective cohort study on selenium status and the risk of lung cancer. Cancer. Res.. 53: 4860 – 4865.
- Van den Brandt P.A.; Goldbohn R.A.; van't Veer P. et al. (1994). Toenail selenium levels and the risk of breast cancer Am J. Epidemiol.. 140: 20 – 26.

- Van Dokkum W.; De Vos R.H.; Muys T.H. et al. (1989). Minerals and trace elements in total diets in the Netherlands. *Br. J. Nutr.* 61: 7 – 15.
- Van't Veer P.; Strain J.J.; Fernandez – Crehuet J. Martin B.C.; Thamm M.; Kardinaal A.F.; Kohlmeier L.; Huttunen J.K.; Martin – Moreno J.M. and Kok F.J. (1996). Tissue antioxidants and post menopausal breast cancer: the European community Multicenter study on Antioxidants, Myocardial and cancer of the breast (EURAMIC). *Cancer Epidemiol. Biomarkers Prevents* 5: 441 – 447.
- Van't Veer P.; Van der Wielen R.P.J.; Kok F.J. et al. (1990). Selenium in diet, blood, and toenail in relation to breast cancer: A case control study. *Am. J. Epidemiol.* 131: 987 – 994.
- Vassault A. (1981). Lactate dehydrogenase. In "Methods of enzymatic analysis" H.U. Bergmeyer (ed), Verlag Chemie, Weinheim. Deerfield Beach, Florida. Basel, p. 118 – 125.
- Velichko M.G.; Petushok V.G.; Gorbach Z.V.; Trebukhin R. V. and Ostrovskil Y. M. (1981). Lactate content in tissues of tumor bearing rats after hydroxythiamine administration some properties of LDH. *Vopr. Med. Khim.* 594 – 600.
- Vesely P. and Boyde A. (1973). The significance of SEM evaluation of the cell surface for tumor cell biology. In Scanning Electron Microscope. Edited by Johari O. and Corvin I., Vol. III. Res. Inst. Chicago. Pp. 689 – 696.

Vessel E.S. (1961). Significance of the heterogeneity of lactate dehydrogenase activity in human tissues. Ann. N.Y. Acad. Sci. 94: 877 – 889.

Volkovic V.; Bernasconi G.; Haselberger N.; Makarewicz M.; Ogris R.; Moschini G.; Bogdanovic I.; Jaksoc M. and Volkovic O. (1993). Multi element analysis of biopsy samples. Nucl. Instr. and Meth. B 75. 155.

Von Eyben; Elder F.; Blaerbjerg; Madsen E.L.; Peterson P.H.; Severtsen C.S. and Gulberg B.O. (1992). Serum lactate dehydrogenase isoenzyme I and the tumor volume indicator of response to treatment and predictors of prognosis in metastatic testicular germ cell tumor. EUR. J. Cancer 28: 410 – 415.

Von Hoff D.D.; Schilsky K.; Reichert C.M.; Reddick R.L.; Rozenweig M. Young R.C. and Muggia F. (1979). Toxic effects of cis dichlorodiamine and platinum in man. Cancer. Treat. Rep. 63: 1527 – 1531.

Wan Shun Y.(1992). Contents of eight trace elements in human malignant as well as benign and normal tissues. Chim. J. Clin. Oncol. 19: 288 – 290.

Wang Z.J. (1991). The role of changes of LDH isoenzyme patterns in pathogenesis of cervical cancer in man and mice. Chim. J. Clin. Oncol. 18(5): 338 – 340.

- Wanson J.C.; Penasse W.; Bernaert D. and May C. (1980). SEM study of adult rat hepatocytes from preneoplastic and hyperplastic foci induced in the liver by diethylnitrosamine. Scanning Electron Microscopy. III: 29 – 34.
- Warburg O. (1956). On the origin of cancer cell. Science. 123: 309 – 312.
- Weinstein R.S.; Alrey J. and Pauly B.U. (1980). Pathobiology of cell junctions. In pathobiology of human Diseases. Edited by Traemp B.F.; Tones R.T. and Laufer A.; Gaustav, Fisher, N.Y.
- Weitberg A.B.; Weitzman S.A.; Clark E.P. and Stosel T.P. (1985). Effects of antioxidant on oxidant – induced sister chromatid exchange formation, J. Clin. Invest. 75, 1935 – 1941.
- Weser U.; Seeber S. and Warneeke P. (1969). Reactivity of Zn ++ on nuclear DNA and RNA biosynthesis of regenerating rat liver. Biochem. Biophys. Acta. 179: 422 – 428.
- West D.X.; Padhye S.B.; Sonawane P.B. (1991). Struct. Bonding. 76, 1.
- West D.X.; Slattery M.L.; Robinson L.M. et al. (1991). Adult dietary intake and prostate cancer risk in Utah: A case control study with special emphasis on aggressive tumors. Cancer causes Control, 2(2): 85 – 94.
- Wigert B.O. and Villee C.A. (1964). Multiple molecular forms of malic and lactic dehydrogenases during development. J. Biol. Chem. 239: 444 – 451.

- Willett W.C.; Morris J.S.; Pressel S.; Taylor J.O. Polk B.F.; Stampfer M.J.; Rosner B; Schneider K.; Hames C.G. (1983). Prediagnostic serum selenium and risk of cancer. *Lancet* July 6: 130 – 134.
- Willett W.C.; Polk B.F.; Morris J.S. et al. (1983). Prediagnostic serum selenium and risk of cancer. *Lancet* 2: 130 – 134.
- Willett W.C.; Stampfer M.J.; Hunter D. et al.(1991). The epidemiology of selenium and human cancer. In: Aitio A.; Aro A.; eds. *Trace elements in health and disease*. Cambridge: Royal Society of Chemistry 141 – 155.
- Wong K.; Allen S. and Hamlin L. (1972). Fed. Proc. Fed. Amer. Soc. Exp. Biol. 31, 923.
- World Health Organization (1987). *Selenium environmental health criteria*, H58, WHO, Geneva.
- Wroblewski F. and Gregory K.F. (1961). Lactate dehydrogenase isoenzymes and their distribution in normal tissues and plasma and in disease states. *Ann. N.Y. Acad. Sci.* 94:912 – 932.
- Yashowardhana, Gupta M.M.; Bansal G.; Goyal S.; Singh V.S. and Jain K.S. (1986). Serum glycolytic enzymes in breast carcinoma. *Tumori.* 72(1): 35 – 42.
- Yin S.; Yingmei G.U.; Guodong L.; Anpu W.; Peiqun Z.; Jieqing Z.; Jian S.; Shulan Y.; Pingsheng L. and Xiaolin L. (1996). Methodological studies of PIXE on biological and environmental science. *Nucl. Instr. plus Meth. B* 109/110. 79.

- Yoshizawa K.; Willett W.C.; Morris S.J. et al. (1998). Study of prediagnostic selenium level in toenails and risk of advanced prostate cancer. *J. Natl. cancer Inst.* 90(16): 1219 – 1224.
- Yu S.Y.; Zhu Y.J.; Li W.G. and Hou C. (1990). Chemo prevention trial of primary liver cancer with selenium supplementation in Quidong country of China, *Metal Ions Biol. Med.* 497 – 500.
- Zaichick V. Ye; Tsyb A.F. and Vtyurin B.M. (1995). Trace elements and thyroid cancer. *Analyst*, , Vol. 120, pp. 817 – 821.
- Zeegers M.P.A.; Goldbohm R.A.; Bode P. and Van den Brandt P.A. (2002). Prediagnostic Toenail Selenium and Risk of Bladder Cancer. *Cancer Epidem. Biomark. and Prev.* Vol. II, 1292 – 1297.
- Zhang Z.; Zhuo H.; Liu S. and Harrington P. de B. (2001). Classification of cancer patients based on elemental contents of serums using bi-directional associative memory networks. *Analytica Chimica Acta.* 436, 281 – 291.
- Zhen Geng J. (1991). Analysis of serum levels of selenium, zinc and copper in 132 patients with malignant tumors. *Clin. J. prev. Med.* 25: 205 – 207.
- Zhijun G. (1988). Diagnostic value of serum copper zinc ratio in gynaecologic tumors. *Jhonghua Zhongliuz Zazhi.* 10: 434 – 436.
- Zhong H.; Tan M.; Fu Y.; Huang J. and Tang Z. (1999). Determination of trace elements in tissue of human uterine cancer by instrumental

Neutron Activation Analysis. Biological trace element Research  
Vol. 71 – 72. pp. 569 – 574,

Zhu Y.; Liu Q.; Hou C.; Yu S. (1982). Serum selenium concentrations in  
high and low lung CA regions of China. Zhongua Zhonglia Zazhi  
4: 158.

Zimmer J.; Wesch H. and Doden E.B. (1970). Zeitlicher Verlauf der  
Konzentration Von Mn, Cu and Zn in Leber, Milz and Thymus Von  
Ratten mit Yoshida Ascitessarkoma. Z. Krebsforsch. 74: 15 – 19.